

## Introduction to Functions

## **Functions**

Let you generalize problems for different inputs

Allow you to take solutions you defined in one place of your program and reuse them in other places of your program file.. and even in other program files!

Help you *abstract away* from certain processes

## Abstraction Example

- Ordering a pizza...
  - You order a large cheese pizza
  - You don't need to think about how they make the crust, got the ingredients, how long they bake it for, etc.
- round(x)
  - You round 10.25 down to 10 by calling round(10.25)
  - You don't think about line by line how the some program is making this rounding decision

## Calling a Function

Function Call: expressions that result in ("return") a specific type

Common expressions: "Making a function call" "Using a function" "Invoking a function"

Looks like function\_name(<inputs>)

E.g. print("Hello"), round(10.25), etc.

## Examples...

print()

round()

randint()

## **Defining Functions**

A function definitions are sub-programs that define what happens when a function is called.

Can be:

- Built-in
- Imported in Libraries
- DIY Define in your python file



# **Function Syntax**

## Syntax for Calling A Function

function\_name(<inputs>)

Syntax for Calling A Function

function\_name(<argument list>)

print("hello") round(10.25) randint(1,7) randint(1,2<u>+5)</u>

## Syntax for Defining A Function

def function\_name(<parameter list>) -> <return type>:

"""Docstring describing function"""

<what your function does>

```
parameter list
                                             return type
  function name
def my_max(number1: int, number2: int) -> int:
    """Returns the maximum value out two numbers"""
    if number1 >= number2:
         return number1
    else: #number1 < number2</pre>
         return number2
```

#### signature

```
def my_max(number1: int, number2: int) -> int:
    """Returns the maximum value out two numbers"""
    if number1 >= number2:
        return number1
    else: #number1 < number2
        return number2</pre>
```

Call (for calling a function): function\_name(<argument list>)

my\_max(11, 3)

Signature (for defining a function) :

def function\_name(<parameter list>) -> <return type>:

```
Call (for calling a function):
variable_name: <return type> = function_name(<argument list>)
```

x: int = my\_max(11, 3)

Signature (for defining a function) :

def function\_name(cparameter list>) -> <return type>:

x: int =  $my_max(11, 3)$ 



x: int **≡** my\_max(11, 3)

x: int = my\_max(11, 3)
def my\_max(number1: int, number2: int) -> int:

x: int =  $my_max(11, 3)$ 

x: int = my\_max(11, 3)

"arguments"

def my\_max(number1: int, number2: int) -> int:

"parameters"



# **Function Semantics**

```
1
    """Example functions to learn definition and calling syntax"""
2
3
    def my_max(num1: int, num2: int) -> int:
         """Returns the maximum value out two numbers"""
4
5
         if num1 >= num2:
             return num1 + 0
 6
         else: #number1 < number2</pre>
 7
             return num2
8
9
10
    max: int = my_max(1,12)
    other_max: int = my_max(13,3)
11
12
    print(other_max)
```

## Function Call Steps

- Prepare for call:
  - Has function been defined?
  - Are arguments fully evaluated?
  - Do parameters and arguments agree?
- Establish frame for function call:
  - Frame on stack labeled with function name
  - Return address
  - Copy over arguments

```
"""Example functions to learn definition and calling syntax"""
 1
 2
 3
    def my_max(num1: int, num2: int) -> int:
 4
         """Returns the maximum value out two numbers"""
 5
         if num1 >= num2:
             return num1 + 0
 6
         else: #number1 < number2</pre>
 7
             return num2
 8
 9
         return 0
10
11
    max: int = my_max(1,12)
    other_max: int = my_max(13,3)
12
     print(other_max)
13
```

```
"""Example functions to learn definition and calling syntax"""
1
2
3
    x: int = 1
4
    y: int = 10
5
6
    def my_max(num1: int, num2: int) -> int:
7
        """Returns the maximum value out two numbers"""
8
        if num1 >= num2:
9
             return num1
10
        else: #number1 < number2</pre>
11
             return num2
12
13
    max: int = my_max(x,y)
```